

# I organise




Figure 23D

**NOKIA**

# I organise




Figure 23E

NOKIA



# I collaborate




Figure 23F

# I under stand




Figure 23G

NOKIA



# I under stand




Figure 23H

NOKIA

# I under stand




Figure 23I

NOKIA



# I understand




Figure 23J

NOKIA

I shop




Figure 23K

NOKIA



I shop




Figure 23L

NOKIA

I shop




Figure 23M

NOKIA



# I collaborate





Figure 23N

NOKIA

# Map Access (P2P)



Master Device

Figure 230






Figure 24A (Creating a new node & a new edge)




Figure 24B (Creating a new node & a new edge, cont'd)






Figure 24C (Subroutine called from Fig. 24A)

**NOKIA**




Figure 24D (Subroutine called from Fig. 24C)






Figure 24E (Subroutine called from Fig. 24C)

**NOKIA**




Figure 24F (Scrollable selection map, parameter N denotes the number of items shown simultaneously in the map)

**NOKIA**






Figure 25A

NOKIA








Figure 25C




Figure 25D

NOKIA






Figure 25E

NOKIA




Figure 25F

NOKIA



Figure 25G

NOKIA






Figure 26A




Figure 26B

NOKIA




Figure 26C

NOKIA






Figure 26D

NOKIA




Figure 26E

NOKIA




Figure 26F






Figure 26G

NOKIA




Figure 26H




Figure 26I






Figure 26J




Figure 26K




Figure 26L




Figure 26M






Figure 26N

NOKIA




Figure 260




Figure 26P

NOKIA




Figure 26Q

NOKIA






Figure 26R

NOKIA




Figure 26S

NOKIA




Figure 26T

NOKIA




Figure 26U

NOKIA






Figure 26V




Figure 26W

NOKIA




Figure 26X

NOKIA




Figure 26Y

NOKIA






Figure 26Z




Figure 26AA

NOKIA




Figure 26AB

NOKIA




Figure 26AC

NOKIA






Figure 26AD

**NOKIA**




Figure 26AE




Figure 27A Deleting a submap (limiting case: a node) from a map




Figure 27B Moving a submap (limiting case: a node) to another place in a map






Figure 27C Navigating a map manually




Figure 27D Editing or displaying the name of a relationship

Structure:




Fig. 28







Figure 29 (Calendar)



(a)



(b)



(c)

Figure 30



# Lifem apper – Virtual workspace




FIG. 31

# Personal Trusted Device Interaction




FIG. 32

# Nokia LifeMapper Personal – Home Domain




FIG. 33

NOKIA